



TECHNOLOGY PLASMA 54 XT KOMPRESSOR



Overview

TECHNOLOGY PLASMA 54 XT KOMPRESSOR

cod. 816147

Inverter, compressed air plasma cutting system, with contact striking of pilot arc.

Allows a rapid, distortion-proof cutting of all conductive materials such as steel, stainless steel, galvanised steel, aluminium, copper, brass, etc.

The model is equipped with a compressor and needs not to be connected to an external compressed air power source.

Features:

- robust and impact resistant;
- reduced weight and dimensions;
- warning led for torch under voltage, protections;
- warning led for consumables change;
- torch automatic cooling;
- thermostatic, overvoltage, undervoltage, overcurrent, air failure protections.

Complete with PK torch.



1 PH 230V



CE MARKING



EAC CERTIFICATION

Technical data

CODE	CODE 816147	V ₀	MAX NO LOAD VOLTAGE 313 V	φ	POWER FACTOR (cosphi) 0,7
V _{1PH}	SINGLE PHASE MAINS VOLTAGE 230 V	A _{MAX}	MAX ABSORBED CURRENT 27,5 A	MAX	MAX CUTTING THICKNESS 12 mm
F	MAINS FREQUENCY 50 / 60 Hz	P _{MAX}	MAX ABSORBED POWER 4,5 kW	IP	PROTECTION DEGREE IP23
A _{MIN} / A _{MAX}	CURRENT RANGE 10 - 40 A	fuse	MAINS FUSE 16 A	W/H/L	DIMENSIONS 47 x 26 x 37,8 cm



TECHNOLOGY PLASMA 54 XT KOMPRESSOR



MAX CURRENT 35 @ 30 % A



EFFICIENCY 82 V



WEIGHT 17,8 kg